

Amendment  
SN 09/126,884  
Page 7

**APPENDIX I**  
**Marked-up Version of Amended Claims**

1. (Five Times Amended) A method for processing a transport stream comprising a plurality of time slots for transporting therein respective programs having a common time base indicated by periodically inserted time stamps, said method comprising:  
modifying packets associated with a desired time slot of a received transport stream to produce an output transport stream; and  
transmitting said output transport stream; [wherein] said transmitted output transport stream includes respective modified programs having said common time base indicated by said periodically inserted time stamps provided by said received transport stream wherein a modified packet uses a matching time stamp of said received transport stream.
6. (Twice Amended) The method of claim 3, wherein the step of modifying packets further comprises:
  - (1) examining a packet received from said received transport stream to determine if a slot associated with said received packet corresponds to an insertion slot for said second program to be inserted;
  - (2) inserting, into an output transport stream, a next packet of said second [replacement] program if said slot associated with said received packet corresponds to an insertion slot for said second program to be inserted;
  - (3) inserting, into said output transport stream, said received packet if said slot associated with said received packet does not correspond to an insertion slot for said second program to be inserted; and
  - (4) repeating steps (1) through (3) for each packet of said received transport stream until a replacement stream has been fully inserted into said output transport stream.
7. (Four Times Amended) An apparatus for processing a received transport stream comprising N time slots for transporting therein N respective programs having a

Amendment  
SN 09/126,884  
Page 8

common time base indicated by periodically inserted time stamps, where N is an integer greater than one,[]said apparatus comprising:

- a transport clock source;
- a frequency divider for dividing a timing signal from said transport clock source into N timing signals;

- N transport encoders coupled to said frequency divider for respectively receiving and encoding said N programs; and

- a multiplexer, coupled to an output of said N transport encoders, for receiving and modifying packets associated with a desired time slot of one or more transport encoded program streams, said multiplexer producing a processed transport stream, [wherein] said processed transport stream [includes] including respective modified programs having said common time base indicated by said periodically inserted time stamps provided by said received transport stream,wherein a modified packet uses a matching time stamp of said received transport stream.

12. (Three Times Amended) Apparatus for processing a received transport stream comprising a plurality of time slots for transporting therein a respective plurality of programs having a common time base indicated by periodically inserted time stamps, said apparatus comprising:

- a transport clock source;
- a frequency divider, for dividing a transport clock timing signal from said transport clock source into a plurality of timing signals; and

- a plurality of encoders, each of said encoders coupled to said frequency divider for respectively receiving and encoding said plurality of programs to produce a respective encoded program stream, each of said encoded program streams being coupled to a switch via a respective buffer memory;

- said switch selectively coupling program stream transport packets from said buffer memories for modifying packets associated with a desired time slot to produce a slotted transport stream, [wherein] said slotted transport stream [includes] including respective modified programs having said common time base indicated by said

Amendment  
SN 09/126,884  
Page 9

periodically inserted time stamps provided by said received transport stream, wherein a modified packet uses a matching time stamp of said received transport stream.

26. (Amended) The [method] apparatus of claim 10, wherein initial and replacement packets associated with said desired time slot represent respective first and second programs.